





7. 减速器选型表 / GEAR UNIT SELECTION TABLES



7.1 SRC..P(IEC).. 性能参数 / Performance parameter



P _{1n} [KW]	n ₂ [r/min]	M _{2n} [Nm]	i	fs			Page	
0.12	26.3	42	53.33	2.9	SRC01	63B5	6314	21
	30.5	36	45.89	3.3	SRCF01	63B5	6314	21
	34.9	32	40.10	3.8	SRCZ01	63B5	6314	21
	39.5	28	35.47	4.3				
	49.1	22	28.50	5.4				
	59.4	18.5	23.56	6.5				
	70.6	15.6	19.83	7.7				
	78.4	14.0	17.86	7.1				
	95.8	11.5	14.62	10.4				
	101	10.8	13.80*	9.2				
	118	9.4	11.90	12.8				
	143	7.7	9.81	13.0				
	153	7.2	9.17	11.1				
	181	6.1	7.72	13.2				
	246	4.5	5.69	13.4				
302	3.6	4.63	16.5					
366	3.0	3.82	20.0					
0.18	16.9	98	53.33	1.2	SRC01	71B5	7116	21
	19.6	84	45.89	1.4	SRCF01	71B5	7116	21
	22.4	74	40.10	1.6	SRCZ01	71B5	7116	21
	25.4	65	35.47	1.8				
	31.6	52	28.50	2.3				
	26.3	63	53.33	1.9	SRC01	63B5	6324	21
	30.5	54	45.89	2.2	SRCF01	63B5	6324	21
	34.9	47	40.10	2.5	SRCZ01	63B5	6324	21
	39.5	42	35.47	2.9				
	49.1	34	28.50	3.6				
	59.4	28	23.56	4.3				
	70.6	23	19.83	5.1				
	78.4	21	17.86	4.8				
	95.8	17.2	14.62	7.0				
	101	16.3	13.80*	6.1				
	118	14.0	11.90	8.6				
	143	11.6	9.81	8.6				
	153	10.8	9.17	7.4				
	181	9.1	7.72	8.8				
	246	6.7	5.69	8.9				
	302	5.5	4.63	11.0				
	366	4.5	3.82	13.3				
	16.7	99	54.00*	2.0	SRC02	71B5	7116	23
	19.4	85	46.46*	2.3	SRCF02	71B5	7116	23
	22.2	74	40.60*	2.7	SRCZ02	71B5	7116	23
	25.1	66	35.91*	3.0				
	31.2	53	28.88*	3.8				
	25.9	64	54.00*	3.1	SRC02	63B5	6324	23
	30.1	55	46.46*	3.7	SRCF02	63B5	6324	23
	34.5	48	40.60*	4.2	SRCZ02	63B5	6324	23






P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			Page	
0.25	16.9	136	53.33	0.88	SRC01	71B5/B14	7126	21
	19.6	117	45.89	1.0	SRCF01	71B5/B14	7126	21
	22.4	102	40.10	1.2	SRCZ01	71B5/B14	7126	21
	25.4	90	35.47	1.3				
	31.6	73	28.50	1.7				
	26.3	87	53.33	1.4	SRC01	71B5/B14	7114	21
	30.5	75	45.89	1.6	SRCF01	71B5/B14	7114	21
	34.9	66	40.10	1.8	SRCZ01	71B5/B14	7114	21
	39.5	58	35.47	2.1				
	49.1	47	28.50	2.6				
	59.4	39	23.56	3.1				
	70.6	32	19.83	3.7				
	78.4	29	17.86	3.4				
	95.8	24	14.62	5.0				
	101	23	13.80*	4.4				
	118	19.5	11.90	6.2				
	143	16.1	9.81	6.2				
	153	15.0	9.17	5.3				
	181	12.6	7.72	6.3				
	246	9.3	5.69	6.4				
	302	7.6	4.63	7.9				
	366	6.3	3.82	9.6				
	16.7	138	54.00*	1.5	SRC02	71B5/B14	7126	23
	19.4	118	46.46*	1.7	SRCF02	71B5/B14	7126	23
	22.2	103	40.60*	1.9	SRCZ02	71B5/B14	7126	23
	25.1	91	35.91*	2.2				
	31.2	74	28.88*	2.7				
	25.9	88	54.00*	2.3	SRC02	71B5/B14	7114	23
	30.1	76	46.46*	2.6	SRCF02	71B5/B14	7114	23
	34.5	66	40.60*	3.0	SRCZ02	71B5/B14	7114	23
	39.0	59	35.91*	3.4				
	48.5	47	28.88*	4.2				
0.37	22.4	151	40.10*	0.79	SRC01	80B5/B14	8016	21
	25.4	134	35.47*	0.90	SRCF01	80B5/B14	8016	21
	31.6	107	28.50*	1.1	SRCZ01	80B5/B14	8016	21
	38.2	89	23.56*	1.4				
	26.3	129	53.33	0.93	SRC01	71B5/B14	7124	21
	30.5	111	45.89	1.1	SRCF01	71B5/B14	7124	21
	34.9	97	40.10	1.2	SRCZ01	71B5/B14	7124	21
	39.5	86	35.47	1.4				
	49.1	69	28.50	1.7				
	59.4	57	23.56	2.1				
	70.6	48	19.83	2.5				
	78.4	43	17.86	2.3				
	95.8	35	14.62	3.4				
	101	33	13.80*	3.0				
	118	29	11.90	4.2				
	143	24	9.81	4.2				
	153	22	9.17	3.6				
	181	19	7.72	4.3				
	246	14	5.69	4.4				
	302	11	4.63	5.3				
366	9	3.82	6.5					





P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			Page	
0.37	16.7	204	54.00*	1.0	SRC02	80B5/B14	8016	23
	19.4	175	46.46*	1.1	SRCF02	80B5/B14	8016	23
	22.2	153	40.60*	1.3	SRCZ02	80B5/B14	8016	23
	25.1	135	35.91*	1.5				
	31.2	109	28.88*	1.8				
	25.9	131	54.00*	1.5	SRC02	71B5/B14	7124	23
	30.1	113	46.46*	1.8	SRCF02	71B5/B14	7124	23
	34.5	98	40.60*	2.0	SRCZ02	71B5/B14	7124	23
	39.0	87	35.91*	2.3				
	48.5	70	28.88*	2.9				
	58.7	58	23.85*	3.5				
	81.9	41	17.10	3.9				
	17.5	193	51.30*	1.6	SRC03	80B5/B14	8016	25
	20.4	167	44.18*	1.8	SRCF03	80B5/B14	8016	25
	23.3	146	38.63	2.1	SRCZ03	80B5/B14	8016	25
	26.3	129	34.20*	2.3				
	29.4	115	30.57	2.6				
	27.3	124	51.30*	2.4	SRC03	71B5	7124	25
	31.7	107	44.18*	2.8	SRCF03	71B5	7124	25
	36.2	94	38.63	3.2	SRCZ03	71B5	7124	25
40.9	83	34.20*	3.6					
0.55	31.6	160	28.50	0.75	SRC01	80B5/B14	8026	21
	38.2	132	23.56	0.91	SRCF01	80B5/B14	8026	21
	45.4	111	19.83	1.1	SRCZ01	80B5/B14	8026	21
	34.9	144	40.10	0.8	SRC01	80B5/B14	8014	21
	39.5	128	35.47	0.9	SRCF01	80B5/B14	8014	21
	49.1	103	28.50	1.2	SRCZ01	80B5/B14	8014	21
	59.4	85	23.56	1.4				
	70.6	71	19.83	1.7				
	78.4	64	17.86	1.6				
	95.8	53	14.62	2.3				
	101	50	13.80*	2.0				
	118	43	11.90	2.8				
	143	35	9.81	2.8				
	153	33	9.17	2.4				
	181	28	7.72	2.9				
	246	20	5.69	2.9				
	302	17	4.63	3.6				
	366	14	3.82	4.4				
	19.4	260	46.46*	0.77	SRC02	80B5/B14	8026	23
	22.2	227	40.60*	0.88	SRCF02	80B5/B14	8026	23
25.1	201	35.91*	1.0	SRCZ02	80B5/B14	8026	23	
31.2	162	28.88*	1.2					
37.7	134	23.85*	1.5					
25.9	194	54.00*	1.0	SRC02	80B5/B14	8014	23	
30.1	167	46.46*	1.2	SRCF02	80B5/B14	8014	23	
34.5	146	40.60*	1.4	SRCZ02	80B5/B14	8014	23	
39.0	129	35.91*	1.5					
48.5	104	28.88*	1.9					
58.7	86	23.85*	2.3					

P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			Page	
0.55	69.7	72	20.08*	2.8	SRC02	80B5/B14	8014	23
	81.9	62	17.10	2.6	SRCF02	80B5/B14	8014	23
	94.5	53	14.81*	3.7	SRCZ02	80B5/B14	8014	23
	17.5	287	51.30*	1.0	SRC03	80B5/B14	8026	25
	20.4	248	44.18*	1.2	SRCF03	80B5/B14	8026	25
	23.3	216	38.63	1.4	SRCZ03	80B5/B14	8026	25
	26.3	192	34.20*	1.6				
	29.4	171	30.57	1.8				
	27.3	185	51.30*	1.6	SRC03	80B5/B14	8014	25
	21.7	159	44.18*	1.9	SRCF03	80B5/B14	8014	25
	36.2	139	38.63	2.2	SRCZ03	80B5/B14	8014	25
	40.9	123	34.20*	2.4				
	45.8	110	30.57	2.7				
	56.0	90	24.99	3.3				
	0.75	49.1	140	28.50	0.86	SRC01	80B5/B14	8024
59.4		116	23.56	1.0	SRCF01	80B5/B14	8024	21
70.6		97	19.83	1.2	SRCZ01	80B5/B14	8024	21
78.4		88	17.86	1.1				
95.8		72	14.62	1.7				
101		68	13.80*	1.5				
118		58	11.90	2.1				
143		48	9.81	2.1				
153		45	9.17	1.8				
181		38	7.72	2.1				
246		28	5.69	2.1				
302		23	4.63	2.6				
366		19	3.82	3.2				
31.2		221	28.88*	0.91	SRC02	90B5/B14	90S6	23
37.7		182	23.85*	1.1	SRCF02	90B5/B14	90S6	23
44.8		153	20.08*	1.3	SRCZ02	90B5/B14	90S6	23
30.1		228	48.46*	0.88	SRC02	80B5/B14	8024	23
34.5		199	40.60*	1.0	SRCF02	80B5/B14	8024	23
39.0		176	35.91*	1.1	SRCZ02	80B5/B14	8024	23
48.5		142	28.88*	1.4				
58.7		117	23.85*	1.7				
69.7		99	20.08*	2.0				
81.9		84	17.10	1.9				
94.5		73	14.81*	2.7				
106		65	13.21	2.5				
116.2		59	12.05	3.4				
141		49	9.93	3.3				
159		43	8.78	2.8				
189		36	7.39	3.3				
257		27	5.45	3.7				
97.0		71	28.88*	2.8	SRC02	80B5/B14	8012	23
117.4		59	23.85*	3.4	SRCF02	80B5/B14	8012	23
139.4		49	20.08*	4.1	SRCZ02	80B5/B14	8012	23
163.7	42	17.10	3.8					






P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s				Page
0.75	17.5	392	51.30*	0.77	SRC03	90B5/B14	90S6	25
	20.4	338	44.18*	0.89	SRCF03	90B5/B14	90S6	25
	23.3	295	38.63	1.0	SRCZ03	90B5/B14	90S6	25
	26.3	261	34.20*	1.1				
	29.4	234	30.57	1.3				
	36.0	191	24.99	1.6				
	27.3	252	51.30*	1.2	SRC03	80B5/B14	8024	25
	31.7	217	44.18*	1.4	SRCF03	80B5/B14	8024	25
	36.2	190	38.63	1.6	SRCZ03	80B5/B14	8024	25
	40.9	168	34.20*	1.8				
	45.8	150	30.57	2.0				
	56.0	123	24.99	2.4				
	66.2	104	21.15*	2.7				
	72.8	94	19.24*	3.0				
	76.9	89	18.21*	3.1				
	91.5	75	15.30*	3.7				
	105	65	13.30*	3.8				
	111	62	12.60	4.0				
	17.5	392	51.30*	1.3	SRC04	90B5/B14	90S6	27
	20.4	338	44.18*	1.5	SRCF04	90B5/B14	90S6	27
	23.3	295	38.63	1.7	SRCZ04	90B5/B14	90S6	27
	26.3	261	34.20*	1.8				
	29.4	234	30.57	2.1				
	27.3	252	51.30*	2.0	SRC04	80B5/B14	8024	27
	31.7	217	44.18*	2.3	SRCF04	80B5/B14	8024	27
	36.2	190	38.63	2.6	SRCZ04	80B5/B14	8024	27
	40.9	168	34.20*	2.9				
45.8	150	30.57	3.2					
56.0	123	24.99	3.9					
66.2	104	21.15*	4.0					
1.1	70.6	143	19.83	0.84	SRC01	90B5/B14	90S4	21
	78.4	129	17.86	0.78	SRCF01	90B5/B14	90S4	21
	95.8	105	14.62	1.1	SRCZ01	90B5/B14	90S4	21
	101	99	13.80*	1.0				
	118	86	11.90	1.4				
	143	71	9.81	1.4				
	153	66	9.17	1.2				
	181	56	7.72	1.4				
	246	41	5.69	1.5				
	302	33	4.63	1.8				
	366	28	3.82	2.2				
	285	35	9.81	2.8	SRC01	80B5/B14	8022	21
	305	33	9.17	2.4	SRCF01	80B5/B14	8022	21
	363	28	7.72	2.9	SRCZ01	80B5/B14	8022	21
	492	20	5.69	2.9				
	605	17	4.63	3.6				
	733	14	3.82	4.4				
	39.0	259	35.91*	0.77	SRC02	90B5/B14	90S4	23
	48.5	208	28.88*	1.0	SRCF02	90B5/B14	90S4	23
	58.7	172	23.85*	1.2	SRCZ02	90B5/B14	90S4	23
	69.7	145	20.08*	1.4				
81.9	123	17.10	1.3					





P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			Page	
1.5	58.7	234	23.85*	0.85	SRC02	90B5/B14	90L4	23
	69.7	197	20.08*	1.0	SRCF02	90B5/B14	90L4	23
	81.9	168	17.10	1.0	SRCZ02	90B5/B14	90L4	23
	94.5	145	14.81*	1.4				
	106	130	13.21	1.2				
	116	118	12.05	1.7				
	141	98	9.93	1.6				
	159	86	8.78	1.4				
	189	73	7.39	1.7				
	257	54	5.45	1.9				
	316	44	4.43	2.3				
	383	36	3.66	2.8				
	212	65	13.21	2.5	SRC02	90B5/B14	90S2	23
	232	59	12.05	3.4	SRCF02	90B5/B14	90S2	23
	282	49	9.93	3.3	SRCZ02	90B5/B14	90S2	23
	319	43	8.78	2.8				
	379	36	7.39	3.3				
	514	27	5.45	3.7				
	40.9	336	34.20*	0.89	SRC03	90B5/B14	90L4	25
	45.8	300	30.57	1.0	SRCF03	90B5/B14	90L4	25
	56.0	245	24.99	1.2	SRCZ03	90B5/B14	90L4	25
	66.2	208	21.15*	1.3				
	72.8	189	19.24*	1.5				
	76.9	179	18.21*	1.6				
	91.5	150	15.30*	1.9				
	105	131	13.30*	1.9				
	111	124	12.60	2.0				
	128	107	10.93*	1.7				
	154	89	9.08	2.0				
	177	78	7.93*	2.3				
	222	62	6.31	2.9				
	255	54	5.48	2.8				
	311	44	4.50	3.4				
	374	37	3.74	4.1				
	256	54	10.93*	3.4	SRC03	90B5/B14	90S2	25
	308	45	9.08	4.0	SRCF03	90B5/B14	90S2	25
	353	39	7.93*	4.6	SRCZ03	90B5/B14	90S2	25
	26.3	523	34.20*	0.92	SRC04	100B5/B14	100L6	27
	29.4	467	30.57	1.0	SRCF04	100B5/B14	100L6	27
	36.0	382	24.99	1.3	SRCZ04	100B5/B14	100L6	27
	27.3	504	51.30*	1.0	SRC04	90B5/B14	90L4	27
	31.7	434	44.18*	1.2	SRCF04	90B5/B14	90L4	27
	36.2	379	38.63	1.3	SRCZ04	90B5/B14	90L4	27
	40.9	336	34.20*	1.4				
	45.8	300	30.57	1.6				
56.0	245	24.99	2.0					
66.2	208	21.15*	2.0					
72.8	189	19.24*	2.2					
76.9	179	18.21*	2.3					
91.5	150	15.30*	2.8					
105	131	13.30*	2.7					
111	124	12.60	2.8					
128	107	10.93*	2.6					
154	89	9.08	3.1					
177	78	7.93	3.3					





P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s				Page	
2.2	72.8	277	19.24*	1.0	SRC03	100B5/B14	100L14	25	
	91.5	220	15.30*	1.1	SRCF03	100B5/B14	100L14	25	
	105	192	13.30*	1.3	SRCZ03	100B5/B14	100L14	25	
	111	182	12.60*	1.4					
	128	157	10.93*	1.1					
	154	131	9.08	1.4					
	177	114	7.93*	1.6					
	222	91	6.31	2.0					
	255	79	5.48	1.9					
	311	65	4.50	2.3					
	374	54	3.74	2.8					
		308	65	9.08	2.8	SRC03	90B5/B14	90L2	25
		353	57	7.93*	3.2	SRCF03	90B5/B14	90L2	25
		444	45	6.31	4.0	SRCZ03	90B5/B14	90L2	25
		511	39	5.48	3.8				
		36.0	560	24.99	0.86	SRC04	112B5/B14	112M6	27
		46.8	431	19.24*	1.0	SRCF04	112B5/B14	112M6	27
						SRCZ04	112B5/B14	112M6	27
		40.9	493	34.20*	1.0	SRC04	100B5/B14	100L14	27
		45.8	440	30.57	1.1	SRCF04	100B5/B14	100L14	27
		56.0	360	24.99	1.3	SRCZ04	100B5/B14	100L14	27
		72.8	277	19.24*	1.5				
		91.5	220	15.30*	1.9				
		105	192	13.30*	1.8				
		111	182	12.60	1.9				
		128	157	10.93*	1.8				
		154	131	9.08	2.1				
		177	114	7.93*	2.3				
		222	91	6.31	2.9				
		255	79	5.48	2.9				
		311	65	4.50	3.5				
		374	54	3.74	4.3				
	3	91.5	301	15.30*	0.93	SRC03	100B5/B14	100L24	25
		105	261	13.30*	1.0	SRCF03	100B5/B14	100L24	25
		111	248	12.60	1.0	SRCZ03	100B5/B14	100L24	25
		128	215	10.93*	0.8				
154		178	9.08	1.0					
177		156	7.93*	1.2					
222		124	6.31	1.5					
255		108	5.48	1.4					
311		88	4.50	1.7					
374		73	3.74	2.0					
		45.8	601	30.57	0.80	SRC04	100B5/B14	100L24	27
		56.0	491	24.99	1.0	SRCF04	100B5/B14	100L24	27
		72.8	378	19.24*	1.1	SRCZ04	100B5/B14	100L24	27
		91.5	301	15.30*	1.4				
		105	261	13.30*	1.3				
		111	248	12.60	1.4				
		128	215	10.93*	1.3				
		154	178	9.08	1.6				




P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			Page	
3	177	156	7.93*	1.7	SRC04	100B5/B14	100L24	27
	222	124	6.31	2.1	SRCF04	100B5/B14	100L24	27
	255	108	5.48	2.1	SRCZ04	100B5/B14	100L24	27
	311	88	4.50	2.6				
	374	73	3.74	3.1				
	308	89	9.08	3.1	SRC04	100B5/B14	100L2	27
	353	78	7.93*	3.3	SRCF04	100B5/B14	100L2	27
	444	62	6.31	4.2	SRCZ04	100B5/B14	100L2	27
	511	54	5.48	4.3				
	511	54	5.48	4.3				
4	177	208	7.93*	0.87	SRC03	112B5/B14	112M4	25
	222	165	6.31	1.1	SRCF03	112B5/B14	112M4	25
	255	144	5.48	1.0	SRCZ03	112B5/B14	112M4	25
	311	118	4.50	1.3				
	374	98	3.74	1.5				
	105	348	13.30*	1.0	SRC04	112B5/B14	112M4	27
	111	330	12.60	1.1	SRCF04	112B5/B14	112M4	27
	128	286	10.93*	1.0	SRCZ04	112B5/B14	112M4	27
	154	238	9.08	1.2				
	177	208	7.93*	1.3				
	222	165	6.31	1.6				
	255	144	5.48	1.6				
	311	118	4.50	2.0				
	374	98	3.74	2.3				
	308	119	9.08	2.4	SRC04	112B5/B14	112M2	27
	353	104	7.93*	2.5	SRCF04	112B5/B14	112M2	27
	444	83	6.31	3.1	SRCZ04	112B5/B14	112M2	27
	511	72	5.48	3.2				
622	59	4.50	3.9					



7.2 SRC..HS.. 性能参数 / Performance parameter

M_{2max} [Nm]	n_1 [r/min]	i	P_{1n} [kW]	n_2 [r/min]		Page 
120	1400	53.33	0.34	26.3	SRC01-HS	22
120	1400	45.89	0.40	30.5	SRCF01-HS	22
120	1400	40.10	0.46	34.9	SRCZ01-HS	22
120	1400	35.47	0.52	39.5		
120	1400	28.50	0.64	49.1		
120	1400	23.56	0.78	59.4		
120	1400	19.83	0.92	70.6		
100	1400	17.86	0.86	78.4		
120	1400	14.62	1.25	95.7		
100	1400	13.80*	1.10	101		
120	1400	11.90	1.54	118		
100	1400	9.81	1.56	143		
80	1400	9.17	1.34	153		
80	1400	7.72	1.58	181		
60	1400	5.69	1.61	246		
60	1400	4.63	1.98	302		
60	1400	3.82	2.40	367		
200	1400	54.00*	0.57	25.9	SRC02-HS	24
200	1400	46.46*	0.66	30.1	SRCF02-HS	24
200	1400	40.60*	0.75	34.5	SRCZ02-HS	24
200	1400	35.91*	0.85	39.0		
200	1400	28.88*	1.06	48.5		
200	1400	23.85*	1.28	58.7		
200	1400	20.08	1.52	69.7		
160	1400	17.10	1.43	81.9		
200	1400	14.81*	2.06	94.6		
160	1400	13.21	1.85	106		
200	1400	12.05	2.53	116		
160	1400	9.93	2.46	141		
120	1400	8.78	2.08	159		
120	1400	7.39	2.49	190		
100	1400	5.45	2.80	257		
100	1400	4.43	3.45	316		
100	1400	3.66	4.18	383		

M_{2max} [Nm]	n_1 [r/min]	i	P_{1n} [kW]	n_2 [r/min]		Page
300	1400	51.30 *	0.89	27.3	SRC03-HS	26
300	1400	44.18 *	1.04	31.7	SRCF03-HS	26
300	1400	38.63	1.19	36.2	SRCZ03-HS	26
300	1400	34.20 *	1.34	40.9		
300	1400	30.57	1.50	45.8		
300	1400	24.99	1.83	56.0		
280	1400	21.15 *	2.02	66.2		
280	1400	19.24*	2.22	72.8		
250	1400	18.21*	2.10	76.9		
280	1400	15.30*	2.79	91.5		
250	1400	13.30 *	2.86	105		
250	1400	12.60	3.03	111		
180	1400	10.93	2.51	128		
180	1400	9.08	3.02	154		
180	1400	7.93*	3.46	176		
180	1400	6.31	4.36	222		
150	1400	5.48	4.17	255		
150	1400	4.50	5.09	311		
150	1400	3.74	6.12	374		
500	1400	51.30*	1.49	27.3	SRC04-HS	28
500	1400	44.18*	1.73	31.7	SRCF04-HS	28
500	1400	38.63	1.98	36.2	SRCZ04-HS	28
480	1400	34.20*	2.14	40.9		
480	1400	30.57	2.40	45.8		
480	1400	24.99	2.93	56.0		
480	1400	21.15*	2.02	66.2		
420	1400	19.24*	3.34	72.8		
420	1400	15.30*	4.19	91.5		
350	1400	13.30*	4.01	105		
350	1400	12.60	4.24	111		
280	1400	10.93	3.91	128		
280	1400	9.08	4.70	154		
260	1400	7.93*	4.99	176		
260	1400	6.31	6.30	222		
230	1400	5.48	6.40	255		
230	1400	4.50	7.80	311		
230	1400	3.74	9.38	374		